

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	63	(gap and (schedule pattern interval period) and (mobile wireless portable cell\$4) and transl\$3).clm. and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 18:43
L2	209	(gap and (schedule pattern interval period) and (mobile wireless portable cell\$4) and (translat\$3 conver\$4)).clm. and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 18:43
L3	43	(gap and (schedule pattern interval period) and (mobile wireless portable cell\$4) and transl\$3).clm. and ((@rlad<"20030411") or (@ad<"20030411")) and (multimode or multi-mode or ((multiple second) near2 (mode network access))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 18:48
L4	0	3 and 455/502	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 18:52
L5	0	1 and 455/502	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 18:52
L6	194	(gap and (schedule pattern interval period) and (mobile wireless portable cell\$4) and (conver\$4)).clm. and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 18:52
L7	2	6 and 455/502	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 18:52

L8	0	1 and 455/5\$.cds.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 18:56
L9	2	6 and 455/5\$.cds.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 18:56
L10	0	1 and 455/208	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 19:02
L11	0	6 and 455/208	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 19:02
L12	0	1 and 370/324	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 19:32
L13	0	1 and 370/395\$.cds.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 19:33
L14	0	1 and 370/503	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 19:33
L15	0	6 and 370/324	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 19:33
L16	4	6 and 370/395\$.cds.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 19:33

L17	3	6 and 370/503	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 19:36
L42	13	(US-20030003951-\$ or US-20030224819-\$ or US-20040203965-\$ or US-20040185899-\$ or US-20010055980-\$ or US-20040110479-\$ or US-20030193969-\$).did. or (US-6438117-\$ or US-5479409-\$ or US-6466803-\$ or US-7180876-\$ or US-5694392-\$).did. or (WO-0004729-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2010/11/01 19:43
L43	3	42 and gap	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/01 19:43
S2	1	"wo 0004729"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 17:15
S4	2	("6438117").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/20 17:57
S5	2	("5479409").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/20 17:59
S6	1	S4 and measur\$5	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:00
S7	1	S4 and measur\$5 and counter	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:00

S8	1	S7 and (measur\$5 same request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:10
S10	1	S7 and (measur\$5 same synchroniz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:28
S12	1	S7 and (measur\$5 with interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:36
S180	1	((multimode near2 device) with synchroniz\$5 with (handoff handover hand-off hand-over))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 10:07
S181	0	S180 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 10:07
S182	1	((((multimode multi-mode) near2 device) with synchroniz\$5 with (handoff handover hand-off hand-over))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 10:08
S183	12	((((multimode multi-mode)) with synchroniz\$5 with (handoff handover hand-off hand-over))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 10:08
S184	3	S183 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 10:08
S185	2	((((multimode multi-mode) with device) with synchroniz\$5 with (handoff handover hand-off hand-over))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 10:11

S186	1	S185 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 10:11
S187	2	("20070037594").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/25 11:57
S188	18	(first near2 interface) with (activation near2 time)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 11:59
S189	6	S188 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 11:59
S190	2	S189 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 12:00
S191	18	(first near2 interface) with (activation near2 time)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:41
S192	6	S191 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:41
S193	2	S192 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:41
S194	280	((multimode multi-mode dualmode dual-mode (multi near2 mode) (dual near2 mode)) near2 device) and synchroniz\$5 and (handoff handover hand-off hand-over)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:43

S195	742	((multimode multi-mode dualmode dual-mode (multi near2 mode) (dual near2 mode)) near2 device) and (handoff handover hand-off hand-over)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:44
S196	0	((first with second with (activation near2 time)) and S195	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:44
S199	32	((first with second with (activation near2 time)) and (multimode multi-mode dualmode dual-mode ((multi multiple dual) near2 mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:48
S200	23	S199 and ((@riad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:48
S201	15	S200 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:49
S202	216	((first with second with (start near2 time)) and (multimode multi-mode dualmode dual-mode ((multi multiple dual) near2 mode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:51
S203	123	S202 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:51
S204	34	S203 and ((@riad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:51
S205	9	S204 and ("455"/\$.cds.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:52

S206	12	(((((multimode multi-mode)) with synchroniz\$5 with (handoff handover hand-off hand-over)))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:55
S207	3	S206 and ((@riad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:55
S208	1	S207 and (start\$3 or activ\$5)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 13:55
S209	0	S208 and (schedul\$3 same second)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:17
S210	1	S208 and (schedul\$3 interface)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:17
S211	0	S208 and (schedul\$3 same interface)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:17
S212	1	S192 and (schedul\$3 same second)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:18
S213	1	S212 and (schedul\$3 same (activat\$3 or start\$3))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:20
S214	0	S212 and (schedul\$3 with (activat\$3 or start\$3) with (second))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:26

S215	758	(schedul\$3 with ((activat\$3 or start\$3) near2 time) with (second))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:27
S216	24	(multimode multi-mode dualmode dual-mode ((multi multiple dual) near2 mode)) and S215	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:30
S217	4	S216 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:30
S218	2	S217 and ((@riad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:30
S226	72	(multimode multi-mode dualmode dual-mode ((multi multiple dual) near2 mode)) and ((translat\$3 conver\$4) with (time near2 format))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:54
S227	55	(multimode multi-mode dualmode dual-mode ((multi multiple dual) near2 mode)) and ((translat\$3 conver\$4) with (time near2 format)) and (start\$3 or activat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:55
S228	24	(multimode multi-mode dualmode dual-mode ((multi multiple dual) near2 mode)) and ((translat\$3 conver\$4) with (time near2 format)) and ((start\$3 or activat\$3 enabl\$3 on) near2 (time interval period schedule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:55
S229	13	S228 and ((@riad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:56

S230	1	S229 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 14:56
S231	874	(multimode multi-mode dualmode dual-mode ((multi multiple dual) near2 mode)) and ((time near2 format))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:05
S232	129	S231 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:05
S233	125	S232 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:06
S234	91	S233 and (start\$3 or activat \$3)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:06
S235	54	S233 and ((start\$3 or activat \$3) near5 (time schedul\$3 interval period))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:07
S236	11	S233 and ((first with second) same ((start\$3 or activat\$3) near5 (time schedul\$3 interval period)))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:07
S237	6	(multimode multi-mode dualmode dual-mode ((multi multiple dual) near2 mode)) and ((schedul\$3) with (time near2 format))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:27
S238	4	S237 and ((!@rlad< "20030411") or (@ad< "20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:27

S239	0	S238 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:27
S240	22	((schedul\$3) with (time near2 format)) and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:28
S241	11	S240 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:28
S242	11	S241 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:29
S243	68	((activat\$3 on enabl\$5 start\$3) with (time near2 format)) and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:33
S244	65	S243 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:33
S245	32	S244 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:35
S246	415	((((activ\$5 start\$3) near2 time) with (format\$4 protocol) with first with second)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:41
S247	13	(interface with ((activ\$5 start \$3) near2 time)) and (((activ \$5 start\$3) near2 time) with (format\$4 protocol) with first with second)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:41

S248	5	S247 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:42
S249	0	S248 and (((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:42
S250	0	S248 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:42
S251	52	(interface with ((activ\$5 start \$3) near2 time)) and (((activ \$5 start\$3)) with (format\$4 protocol) with first with second)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:44
S252	5	S251 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:44
S253	4	S252 and (((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:44
S254	3	S253 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:44
S255	51	(interface with ((activ\$5 start \$3) near2 time)) and ((transl \$5 conver\$4) with (format\$4 protocol) with first with second)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:47
S256	37	S255 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:48

S257	21	S256 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:48
S258	16	S257 and synchroniz\$5	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:49
S259	1	S258 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:49
S260	23	((activ\$5 start\$3) near2 time) with (transl\$5 conver\$4) with (format\$4 protocol) with first with second	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:58
S261	4	S260 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:58
S262	3	S261 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:58
S263	2	S262 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:58
S264	562	((activ\$5 start\$3)) with (transl \$5 conver\$4) with (format\$4 protocol) with first with second	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 15:59
S265	21	S264 and ("455"/\$.cls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:00

S266	10	S265 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:00
S267	7	S266 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:00
S268	1	(measurement near5 schedule) same (allowed with active)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:20
S269	107	(schedule) same (allowed with active)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:20
S270	7	S269 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:21
S271	2	S270 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:21
S272	2	S271 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:21
S273	224	(schedule) same (interface with active)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:23
S274	18	S273 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:23

S275	18	S274 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:23
S276	6	S275 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:23
S277	299	(interface with allowed with activ\$5)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:26
S278	24	S277 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:26
S279	24	S278 and (mobile wireless portable cell\$4)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:27
S280	4	S279 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/25 16:27
S338	297	455/502.ccls. and (gap idle sleep snooze wake-up wak\$3 awak\$3 hibernat\$3)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 18:13
S339	17	S338 and (translat\$3 same (schedule interval gap idle sleep hibernat\$3 period time))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 18:13
S340	15	S339 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 18:14

S341	2	("20070037594").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/26 18:22
S342	4	S340 and interrupt\$3 and (gap offset\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 19:03
S343	7181	"455"/\$.ccls. and (gap idle sleep snooze wake-up wak\$3 awak\$3 hibernat\$3) and gsm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:49
S344	39	"455"/\$.ccls. and (gap idle sleep snooze wake-up wak\$3 awak\$3 hibernat\$3) and gsm and (several with gap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:50
S345	185	"455"/\$.ccls. and (gap idle sleep snooze wake-up wak\$3 awak\$3 hibernat\$3) and gsm and ((several different) with gap)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:52
S346	17	S344 and ((@rlad<"20030411") or (@ad<"20030411"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:52
S347	4	S344 and ((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:53
S348	28	"455"/\$.ccls. and (gap with idle) and (gap with connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:58
S349	17	S348 and ((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:58

S350	328	*455"/\$.cols. and (gap with mode)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:12
S351	57	S350 and ((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:12
S352	29	S351 and gsm	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:12
S353	2	("20030193969").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/27 12:17
S354	0	S352 and S353	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:18
S355	1	(gap with mode) and S353	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:18
S356	1	S355 and ((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:18
S357	46	gap and (activation near2 time) and gsm	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:24
S358	3	S357 and ((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:24

S359	152	gap and (activat\$3 near2 time) and gsm	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:27
S360	28	S359 and ((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:27
S361	3	"455"/\$.ccls. and S360	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:27
S362	341	(gap with (activat\$3 or start \$3)) and gsm	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:39
S363	112	"455"/\$.ccls. and S362	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:39
S364	22	S363 and ((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 12:39
S365	2	("20070037594").PN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/27 14:11
S366	2	(gap with (activat\$3 or start \$3)) and S365	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:11
S367	299	(gap with pattern) and gsm	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:18

S368	28	S367 and ((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:19
S369	2	("20030193969").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/27 14:22
S370	1	S367 and ((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5 and S369	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:22
S371	11	S368 and ((interface or access card nic mode link) with pattern)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:31
S372	110	(gap with (forward\$3 or relay \$3)) and gsm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:42
S373	19	S372 and ((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:42
S374	1	"455"/\$.ccls. and S373	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:45
S375	10	(gap with (second near2 (interface access))) and gsm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:47
S376	5	"455"/\$.ccls. and S375	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:47

S377	0	S376 and (((@rlad<"20030411") or (@ad<"20030411")) and synchroniz\$5	US-PGPUB; USPAT; USOCR; PPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 14:47
------	---	---	---	----	----	---------------------

11/ 1/ 2010 7:53:48 PM

C:\Documents and Settings\fdonado\My Documents\EAST\Workspaces\10553082.wsp